



Benefits:

- For Flir Ax5 (new and old version)
- For cameras with special shape
 - e.g. Tamron MP1010M
- Compact size
- Small dead weight
- High IP protection class
- Flexible camera positioning
- High chemical resistance
- Vibration-proof mounting
- Camera mount included
- Good heat dissipation



Technical Details:

| | |
|--|--------------------------|
| Max. Camera Size (w x h) | 39 x 53mm |
| Max. Lens Diameter | 55mm |
| Inner Length | 178mm (Ax5) |
| Enclosure Dimensions (w x h x l, without cable gland) | 66 x 66 x 190mm (Ax5) |
| Window Aperture | 45mm |
| Standard Window | BK7, double sided ARC |
| IR Mirror | Order Number: 20.000.010 |
| Saphire | Order Number: 20.000.016 |
| Germanium | Order Number: 20.000.017 |
| Acrylic, uncoated | Order Number: 20.000.058 |
| Acrylic, double sided ARC | Order Number: 20.000.029 |
| Window Seal | FPM |
| Protection Class | IP66 (Nema 4) |


| | |
|---|--|
| Weight (without camera mount) | Approx. 660g (Ax5) |
| Enclosure Material | Anodized Aluminum |
| Enclosure Seals | NBR |
| Cable Gland Aperture (max. connector size) | 22mm (Rear Wall A) 26.5mm (Rear Wall C) |
| Cable Diameter | Self drilling (Rear Wall C) |
| Cable Gland Seal | TPE |



Special mount for the new Flir Ax5 camera with lenses from 7.5mm to 19mm focal length



Gecko for Ax5 V2016



Custom Color Gecko for Tamron MP1010M

Order Numbers (please specify camera type!):



| Product Description | Order Number |
|--|--------------|
| Gecko, Germanium Window, Rear Wall C, for Flir Ax5 up to 19mm focal length | 24.022.155 |
| Gecko, BK7 window double sided ARC, Rear Wall A, custom length up to 300mm | 24.020.XXX |
| Gecko, BK7 window double sided ARC, Rear Wall C, custom length up to 300mm | 24.022.XXX |

Accessories:

| Product | Image | Order No. | Product | Image | Order No. | Product | Image | Order No. |
|-----------------------|-------|------------|----------------------|-------|------------|---------------------|-------|-------------------------|
| Air Nozzle | | 50.100.025 | Sun Roof Size S | | 20.010.001 | Mounting Kit 6 | | 5.060.000 |
| 2" Wind Curtain | | 50.100.010 | Sun Roof Size M | | 20.010.002 | Mounting Kit 7 | | 5.070.000 |
| Tube Wind Curtain 2" | | 50.100.017 | Sun Roof Size L | | 20.010.003 | Mounting Kit 9 | | 5.090.000 |
| Pneumatic Shutter | | 50.200.010 | Corrugated Tube 28mm | | 20.000.006 | Mounting Kit 10 | | 5.100.000 |
| Deflection Mirror 90° | | 20.020.004 | Orca Adapter | | 15.030.002 | Mounting Kit 15 | | 5.150.000 |
| Cooling Module | | 60.100.010 | Mounting Kit 1 | | 5.010.000 | Mounting Kit 16/16m | | 5.160.000 5.160.000m |
| El. Heating Plate | | 70.100.018 | Mounting Kit 2 | | 5.020.000 | Mounting Kit 17/17m | | 5.170.000 5.170.000m |




Front Lid




max. 52mm
lens diameter

Profile

max. 55mm
lens diameter




Rear Wall A




max. 22mm connector

Rear Wall C



max. 26.5mm connector
several cables



Your authorized distributor:

moviTherm
advanced thermography solutions

Phone: (949) 699-6600

Email: info@movitherm.com

<https://www.movitherm.com>

15540 Rockfield Blvd, Suite C-110
Irvine, CA 92618